

Thyroidectomy (for Nodule)

GS08 Lite - Expires end of January 2026



This fact sheet is for general information about this procedure only. It is not intended to be used as medical advice or to replace advice that your relevant healthcare professional would give you. If you have a particular medical problem, please consult a healthcare professional.

© EIDO Systems International Limited. The operation and treatment information in this document is published under license from EIDO Systems International and is protected by copyright laws. Other than for your personal, non-commercial use, you may not copy, print out, download or otherwise reproduce any of the information.

eidohealthcare.com



What is the thyroid gland?

The thyroid gland is a structure in your neck that produces a hormone called thyroxine, which regulates your body's metabolism.

Your thyroid gland has become abnormal and a lump (nodule) has developed.

What are the benefits of surgery?

You will no longer have the lump in your thyroid gland. If the lump is getting larger, surgery may help to prevent an unsightly appearance and should improve any symptoms caused by the swelling.

Are there any alternatives to surgery?

Surgery is recommended so that your doctor can be sure about what is causing the lump. There is no sure way of knowing the cause of the lump without surgery, and so it would be a risk to leave it untreated in case it is a cancer.

What does the operation involve?

The operation is performed under a general anaesthetic and usually takes about an hour.

Your surgeon will make a cut on your neck in the line of one of your skin creases.

Your surgeon will remove part, or all, of the thyroid gland.

What complications can happen?

Some complications can be serious and in rare cases can even cause death.

General complications of any operation

- Infection of the surgical site (wound)
- Allergic reaction to the equipment, materials or medication
- Blood clot in your leg
- Blood clot in your lung
- Chest infection

Specific complications of this operation

- Bleeding
- Change in your voice

- Drop in calcium levels in your blood
- Thyroid hormone levels in your blood may drop
- Breathing difficulties
- Aspiration problems

Consequences of this procedure

- Pain
- Unsightly scarring of your skin

How soon will I recover?

You should be able to go home after 1 to 2 days.

You should be able to return to work and normal activities after about 2 weeks, depending on how much surgery you need and your type of work.


Regular exercise should help you to return to normal activities as soon as possible. Before you start exercising, ask the healthcare team or your GP for advice.

Most people make a full recovery and can return to normal activities.

The healthcare team will usually arrange an appointment for you within 4 weeks. Your surgeon will tell you the results and discuss with you any treatment or follow-up you need.

Summary

A thyroid lump can cause an unsightly appearance, discomfort or a change in your voice, or affect your breathing or swallowing. A thyroidectomy to remove the lump should improve your symptoms and help find out what is causing the lump.



A thyroidectomy

Keep this information document. Use it to help you if you need to talk to the healthcare team.

Some information, such as risk and complication statistics, is taken from global studies and/or databases. Please ask your surgeon or doctor for more information about the risks that are specific to you, and they may be able to tell you about any other suitable treatments options.

This document is intended for information purposes only and should not replace advice that your relevant healthcare team would give you.

Acknowledgements

Reviewer

Roger Berry (MBBS, FRACS)

Illustrator

Medical Illustration Copyright ©
Medical-Artist.com